



**Rubber Extrusions & TPE Products** 



### Introduction

Laxmi group was established in year 1992 & during it's course it has branched out in various sectors.

- Heat Treatment
- Rubber Compounding
- Rubber Moulding
- Plastic Injection Moulding
- Electrical Switch gear assembly

Laxmi India Plast is one of the new unit of Laxmi group. It has the most advanced machineries along with the best material handling system which enable us to deliver best results.

We are pleased to introduce ourselves as provider of rubber profile of various grades.

- Natural
- EPDM
- CR (Neoprene)
- NBR (Nitrile)
- Silicon (VMQ)
- Viton (FKM)
- SBR
- Sponge
- TPE (Thermo plastic Elastomer)



# Range of extruded rubber profiles & tubing manufactured in our company



**U** Channels



Solid Strip/Cord



Angle extrusion



**Bumper Strips** 



Extruded Seals & Tubing



D - Strip



**Door Seal** 



H - Strip



P - Strip

### **Extrusion Infrastructure**




90 mm cold feed variable speed extruder

- 90 mm cold feed extruder with automic heating controlled by PID controller
- Caterpillar with cutting machine to provide exact dimension of part without causing any damage.
- Production rate ranges from 250 kgs/hr to 350 kgs/hr.



# **Block Diagram of CV lines**



### Compounding and Storage Facility




### **Kneader Machine**



- For making compound we have designated a separate room for weighing and formulating the recipe of rubber.
- We have fully atmosphere controlled compound storage room which prevents any change in it's properties due to out side atmosphere.



### **Testing Facility**









Tensile Strength









**Chemical Testing** 

### **Injection Moulding Facility**



- 150 ton servo controlled injection moulding machine.
- 180 ton servo controlled injection moulding machine.
- TACT IV controlled used for better output.



## List of Machines

| Machine                    | Qty | Capacity          | Make                     |
|----------------------------|-----|-------------------|--------------------------|
| Cold feed extruder         | 1   | 250-350 kgs/hr    | Bharaj m/c Pvt. Ltd.     |
| Microwave tunnel ovens     | 1   | 8.7 kw            | Bharaj m/c Pvt. Ltd.     |
| Hot air ovens              | 1   | 4 to 20m/min      | Bharaj m/c Pvt. Ltd.     |
| Cooling tunnels            | 1   | 0.5 kw            |                          |
| Caterpillar unit           | 1   | 1.5 kw            |                          |
| Cutting machine            | 1   | ЗНР               | Bharaj m/c Pvt. Ltd.     |
| Kneader                    | 1   | 35 ltr.           | Bharaj m/c Pvt. Ltd.     |
| Mixing mill                | 1   | 14 x 36" Roller   | Bharaj m/c Pvt. Ltd.     |
| Injection moulding machine | 2   | 180 Ton & 150 Ton | Nissei, Japan<br>Toshiba |
| Rheometer                  | 1   | -                 | MV                       |
| Viscometer (Mooney)        | 1   | -                 | MV                       |
| Tensile Testing machine    | 1   | -                 | -                        |
| Cooling Tower              | 1   | 80 TR             | Hi-Tech FRP              |
| Air Conditioner            | 1   | 5 Ton             | -                        |
| Overhead cranes            | 1   | 5 Ton             | -                        |



Laxmi Industrial Park, Plant No.1, Gat No.: 87/2, Umala Shivar, Nashirabad Road, Jalgaon - 425003. Tel.: 0257-2270226 Mobile: 91580 00941

Customer care : 9130000814

• Email: info@laxmiindia.com • Web: www.laxmindia.com